

Ganged SMP Connector & Cable Assembly Solutions



CUSTOM RF SOLUTIONS

Cinch Connectivity Solutions' SMP Ganged and Board to Board RF Connector Solutions. Our SMP Product Family is launching a standard offering of a 4 port board to board solution, which can also be configured as a cable assembly to a ganged connector offering. The 4 port version can be optimized and customized to meet customers' needs for number of ports, board spacing, connector separation spacing, and cable type/lengths, etc.

Applications


- Networking router and switches
- Test and Measurement rack system
- Instrumenation Test Fixture Equiptment

Features

- Mating force spec 15 lbs engagement/ 5 lbs disengagement per SMP Full Detent specs,
- complies with MIL-STD-348A SMP specifications.
- Semiconductor ATE Test Boards
- Wireless Infrastructure Antenna Systems
- Radar Systems
- Frequency range: DC to 40 GHz
- 50 ohms, Brass or Stainless Steel
- Scalable & cost effective up to 8 ports with one or two rows

CONNECTORS

Male, Full Detent, Vertical PCB Surface Mount



Male, Full Detent, Right Angle PCB Surface Mount


Part Number	Description		
127-0711-321	Male Full Detent	Right Angle PCB Surface Mount	SMP 4 Position
**************************************	A SA ST		-1.125 .00

Male, Smooth Bore/Limited Detent, Vertical PCB Surface Mount

Part Number	Descr	Description			
127-2711-221	Male	Smooth Bore	Vertical PCB Surface Mount	SMP	4 Position
127-1721-221	Male	Limited Detent	Vertical PCB Surface Mount	SMP	4 Position









Male, Smooth Bore/Limited Detent Right Angle PCB Surface Mount

Part Number	Description				
127-2711-321	Male	Smooth Bore	Right Angle PCB Surface Mount	SMP	4 Position
127-1721-321	Male	Limited Detent	Right Angle PCB Surface Mount	SMP	4 Position









Male, Full Detent, Cabled

Part Number	Descript	ion	
127-0593-011	Male	Full Detent Cabled	SMP 4 Position
		A Strategy Rev X Geoch X Strategy Rev X Warr	

Female to Female Bullet Adapter

Part Number 127-0901-801


Description Female to Female

Bullet Adapter

SMP

0.254"

0



CONFIGURATIONS


Stacked Vertical PC SMT SB or LD to a Vertical PCB SMT FD

(0.484" spacing - fully mated)



Coplanar Vertical PC SMT SB or LD to a Right Angle PCB SMT FD

(0.259" spacing - fully mated)






Asia Pacific +86 21 5442 7668 ccs.asia.sales@as.cinch.com Europe, Middle East & Africa +44 (0) 1245 342060 CinchConnectivity@eu.cinch.com North America +1 507.833.8822 ccsorders@us.cinch.com belfuse.com/cinch

© 2018 Cinch Connectivity Solutions

Orthogonal Right Angle PC SMT SB or LD to a Right Angle PCB SMT FD

(0.034" spacing - fully mated)



Right Angle PC SMT SB or LD to a Straight Cable Mount FD

(0.034" spacing - fully mated)

