




NOTES:

- 1 PCB POST HEIGHT AS NOTED.
- 2 TERMINAL PLATING:  
150 MICRO INCHES OF MATTE TIN OVER  
50-100 MICRO INCHES OF DUCTILE NICKEL
- 3 SHIELD MATERIAL: C26000 COPPER ALLOY, .008 [0.2] THICK
- 4 SHIELD PLATING:  
30-100 MICRO INCHES PREPLATED NICKEL  
OVER 40 MICRO INCHES MINIMUM COPPER  
WITH SOLDER DIPPED TAILS
5. OPERATING TEMPERATURE RANGE: -40°C TO +85°C.


RoHS



THIRD ANGLE PROJECTION 		 <div>stewart CONNECTOR a bel group</div>		11118 Susquehanna Trail South Glen Rock, PA 17327-9199 (717) 235-7512 <a href="http://www.stewartconnector.com">http://www.stewartconnector.com</a>	
DO NOT SCALE DRAWING DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE		TITLE: EIGHT CONTACT, EIGHT POSITION SHIELDED STACK JACK ENHANCED SHIELD, 2 PORT (1 ON 1) LC VERSION			
DIMENSIONS: INCHES [METRIC]		THIS DRAWING AND THE SUBJECT MATTER SHOWN THEREON ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF STEWART CONNECTOR AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT PRIOR WRITTEN CONSENT OF STEWART CONNECTOR. ONE OR MORE U.S. PATENTS MAY APPLY TO THIS PRODUCT. FOR DETAILS, PLEASE VISIT: <a href="http://BELFUSE.COM/STEWART/STEWART_PATENTS/">HTTP://BELFUSE.COM/STEWART/STEWART_PATENTS/</a>		DRN BY:	DATE
UNLESS OTHERWISE SPECIFIED TOLERANCES ARE $\pm 0.005$ [0.13] ANGLES ARE $\pm 1^\circ$				BTS	4-26-19
SHEET NO. 2 OF 3				APPD BY:	DATE
				JME	4-26-19
		DWG NO.		CT730191F	REV. B1



PICK AND PLACE PACKING TRAY  
SEE NOTE 5 ON SHEET 1



COVER FOR PICK AND PLACE PACKING TRAY  
SEE NOTE 5 ON SHEET 1

NOTES:


1. ALL DRAWING DIMENSIONS ARE METRIC (THIS SHEET ONLY).
2. TRAY MATERIAL:  
CLEAR PVC  
MATERIAL THICKNESS – 0.8 mm TYPICAL.

3 EXAMPLE OF PRODUCT IN TRAY.

RoHS



THIRD ANGLE PROJECTION




DO NOT SCALE DRAWING  
DRAWING IS SUBJECT TO  
CHANGE WITHOUT NOTICE

DIMENSIONS: INCHES [METRIC]

UNLESS OTHERWISE SPECIFIED  
TOLERANCES ARE  $\pm 0.13$  [.005]  
ANGLES ARE  $\pm 1^\circ$

SHEET NO. 3 OF 3



**stewart**  
CONNECTOR  
a bel group

11118 Susquehanna Trail South  
Glen Rock, PA 17327-9199  
(717) 235-7512

<http://www.stewartconnector.com>

TITLE: EIGHT CONTACT, EIGHT POSITION SHIELDED STACK JACK  
ENHANCED SHIELD, 2 PORT (1 ON 1) LC VERSION

THIS DRAWING AND THE SUBJECT MATTER SHOWN THEREON  
ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF  
STEWART CONNECTOR AND SHALL NOT BE REPRODUCED,  
COPIED, OR USED IN ANY MANNER WITHOUT PRIOR WRITTEN  
CONSENT OF STEWART CONNECTOR. ONE OR MORE U.S. PATENTS  
MAY APPLY TO THIS PRODUCT. FOR DETAILS, PLEASE  
VISIT: [HTTP://BELFUSE.COM/STEWART/STEWART\\_PATENTS/](http://BELFUSE.COM/STEWART/STEWART_PATENTS/)

DRN BY:	BTS	DATE	4-26-19
APPD BY:	JME	DATE	4-26-19
DWG NO.	CT730191F	REV.	B1